Surry 2
3Q/2001 Performance Summary



Performance Indicators

Unplanned Scrams (G)	Emergency AC Power System Unavailability (W)	Reactor Coolant System Activity (G)	Drill/Exercise Performance (G)	Occupational Exposure Control Effectiveness (G)	RETS/ODCM Radiological Effluent (G)	Protected Area Equipment (G)
Scrams With Loss of Normal Heat Removal (G)	High Pressure Injection System Unavailability (G)	Reactor Coolant System Leakage (G)	ERO Drill Participation (G)			Personnel Screening Program (G)
Unplanned Power Changes (G)	Heat Removal System Unavailability (G)		Alert and Notification System (G)			FFD/Personnel Reliability Program (G)
	Residual Heat Removal System Unavailability (G)					
	Safety System Functional Failures (G)					

Last Modified: April 9, 2002

Legend: R=Red Y=Yellow W=White G=Green T=Thresholds under development I=Insufficient data to calculate PI N=Not Applicable U=Unique Design



Most Significant Inspection Findings

	Initiating Events	Mitigating Systems	Barrier Integrity	Emergency Preparedness	Occupational Radiation Safety	Public Radiation Safety	Physical Protection
3Q/2001	No findings this quarter	W (1)	No findings this quarter	No findings this quarter	No findings this quarter	G	G
2Q/2001	No findings this quarter	G	No findings this quarter	No findings this quarter	No findings this quarter	No findings this quarter	No findings this quarter
1Q/2001	No findings this quarter	No findings this quarter	No findings this quarter	No findings this quarter	No findings this quarter	G	No findings this quarter
4Q/2000	No findings this quarter	G	No findings this quarter	No findings this quarter	No findings this quarter	No findings this quarter	Findings without color designation

Miscellaneous findings

Additional Inspection & Assessment Information

- **Assessment Reports/Inspection Plans:**
  - **3Q/2001**
  - **2Q/2001**
  - **1Q/2001**
  - **4Q/2000**
- **Cross Reference Of Assessment Reports**
- **List of Inspection Reports**
- **List of Assessment Letters/Inspection Plans**

Last Modified: April 9, 2002