

**ADVISORY COMMITTEE ON REACTOR SAFEGUARDS  
Regulatory Policies and Practices Subcommittee Meeting**

-----

**Draft Final Revision 1 to Regulatory Guide 1.141 (DG-1213),  
“Containment Isolation Provisions for Fluid Systems”**

**DECEMBER 1, 2009  
Room T-2B3, Two White Flint Plaza  
11545 Rockville Pike**

ACRS Contact: Zena Abdullahi (301) 415-8716; E-mail: [zxa@nrc.gov](mailto:zxa@nrc.gov)

**- AGENDA -**

<b>TOPIC</b>	<b>PRESENTOR</b>	<b>TIME</b>
<b>1. INTRODUCTORY REMARKS</b>	H. Ray (ACRS)	<b>8:30 - 8:35 AM</b>
<b>2. RG 1.141 (DG-1213) DISCUSSION</b>	NRC Staff	<b>8:35 - 9:50 AM</b>
<b>3. COMMITTEE CAUCUS</b>	Members	<b>9:50 - 10:00 AM</b>
<b>4. MEETING AJOURNS</b>		<b>10:00 AM</b>

**Draft Final Revision 1 to Regulatory Guide 1.151 (DG-1178),  
“Instrument Sensing Lines”**

**- AGENDA -**

<b>TOPIC</b>	<b>PRESENTOR</b>	<b>TIME</b>
<b>1. INTRODUCTORY REMARKS</b>	O. Maynard (ACRS)	<b>10:15 - 10:20 AM</b>
<b>2. RG 1.151 (DG-1178) DISCUSSION</b>	NRC Staff	<b>10:20 - 11:50 AM</b>
<b>3. COMMITTEE CAUCUS</b>	Members	<b>11:50 - 12:00 PM</b>
<b>4. MEETING AJOURNS</b>		<b>12:00 PM</b>

**NOTES:**

- During the meeting, **301-415-7360** should be used to contact anyone in the ACRS Office.
- Presentation time should not exceed 50 percent of the total time allocated for a given item. The remaining 50 percent of the time is reserved for discussion.
- Thirty five (35) hard copies of each presentation or handout should be provided to the Designated Federal Official at least 30 minutes before the meeting.
- One (1) electronic copy of each presentation should be emailed to the Designated Federal Official 1 day before the meeting. If an electronic copy cannot be provided within this timeframe, presenters should provide the Designated Federal Official with a CD containing each presentation at least 30 minutes before the meeting.