

**U.S. Nuclear Regulatory Commission  
Human Factors Information System (HFIS)  
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 8

National Average: 30

2x National Average: 60

National Median: 18

Average for Selected Dockets: 8

---

**Facility Name: Quad Cities 1 Docket (050- 00254)**

Details	Department	Work Type	Docket/Report
<b>Communication / IR</b>			
160 - No communication / information not communicated	L - Licensing / regulatory affairs	A - Administrative	050-00254/2009-005
<b>Number of Items for this Docket:</b> 1			
<b>Percent of Total for this Docket:</b> 13			
<b>Human-System Interface &amp; Environmnt / IR</b>			
170 - HSI or information availability / quality LTA	M - Mechanical	M - Maintenance / Repair	050-00254/2009-005
<b>Number of Items for this Docket:</b> 1			
<b>Percent of Total for this Docket:</b> 13			
<b>Problem Identification &amp; Resolution / IR</b>			
140 - Problem not completely or accurately identified	M - Mechanical	M - Maintenance / Repair	050-00254/2009-005
140 - Problem not completely or accurately identified	M - Mechanical	M - Maintenance / Repair	050-00254/2009-005
142 - Operating experience (OE) review LTA	M - Mechanical	M - Maintenance / Repair	050-00254/2009-005
<b>Number of Items for this Docket:</b> 3			
<b>Percent of Total for this Docket:</b> 38			
<b>Work Planning &amp; Practices / IR</b>			
186 - Failure to take action / meet requirements	L - Licensing / regulatory affairs	A - Administrative	050-00254/2009-005
186 - Failure to take action / meet requirements	M - Mechanical	M - Maintenance / Repair	050-00254/2009-005
186 - Failure to take action / meet requirements	Q - Quality assurance / oversight	M - Maintenance / Repair	050-00254/2009-005
<b>Number of Items for this Docket:</b> 3			
<b>Percent of Total for this Docket:</b> 38			
<b>Total Items for this Docket: 8</b>			

---